

Response under 37 C.F.R. §1.111
Attorney Docket No. 062663
Application No. 10/584,922

REMARKS

Claims 11, 13-17, 19 and 20 are pending in the present application. Claims 11, 13-17, 19 and 20 are rejected. No new matter has been presented.

Applicants' Response to the Claim Rejections for Non-statutory Double Patenting

Claims 11, 13-17, 19-20 are rejected on the ground of non-statutory obviousness-type double patenting as being unpatentable over claims 1-12 of U.S. Patent No. 7,653,984.

In response thereto, applicants submit the attached Terminal Disclaimer to U.S. Patent No. 7,653,984. In light thereof, applicants respectfully submit the rejection is now moot.

Claims 11, 13-17, 19-20 are provisionally rejected on the ground of non-statutory obviousness-type double patenting as being unpatentable over claims 1-6 of copending Application No. 12/635,094, US Pub. No. 2010/0083486.

In response thereto, applicants submit the attached Terminal Disclaimer to copending Application No. 12/635,094, US Pub. No. 2010/0083486. In light thereof, applicants respectfully submit the rejection is now moot.


In view of the above remarks and accompanying Terminal Disclaimers, Applicants submit that the claims, as previously presented, are in condition for allowance. Applicants request such action at an early date.

Response under 37 C.F.R. §1.111
Attorney Docket No. 062663
Application No. 10/584,922

If the Examiner believes that this application is not now in condition for allowance, the Examiner is requested to contact Applicants' undersigned attorney to arrange for an interview to expedite the disposition of this case.

If this paper is not timely filed, Applicants respectfully petition for an appropriate extension of time. The fees for such an extension or any other fees that may be due with respect to this paper may be charged to Deposit Account No. 50-2866.

Respectfully submitted,
WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP


Michael J. Caridi
Attorney for Applicants
Registration No. 56,171
Telephone: (202) 822-1100
Facsimile: (202) 822-1111

MJC/adp

Enclosures: Terminal Disclaimer to U.S. Pat. No. 7,653,984
Terminal Disclaimer to App. No. 12/635,094